

مخازن
الإضاءة
LIGHTING STORES



www.illusillumination.com



LS AlMalaz



LS Takhasusi



LS Exit 5



LS Exit 9



LS Buraidah



LS Onaizah



LS Hail



LS AlKhaleej St.



LS AlFaaisaliyah



LS AlKhubar



LS Alemmarah 2 St.



LS AlDahran St.



LS Jeddah



LS AbHA



LS Khamies Mushait



LS Najran



LS Tabouk




LS AlJouf




Switches & Sockets
V7 - Tempered glass & Champagne
- Champagne Module

مخازن
الإضاءة
LIGHTING STORES




KD 2.450

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531138	PC	tempered glass	metal	light brown	light brown	250V-10AX	1 gang	1 way	single




KD 3.150

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531141	PC	tempered glass	metal	light brown	light brown	250V-10AX	2 gang	2 way	single




KD 2.600

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531139	PC	tempered glass	metal	light brown	light brown	250V-10AX	1 gang	2 way	single




KD 3.450

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531142	PC	tempered glass	metal	light brown	light brown	250V-10AX	3 gang	1 way	single




KD 3.000

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531140	PC	tempered glass	metal	light brown	light brown	250V-10AX	2 gang	1 way	single




KD 4.100

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531287	PC	tempered glass	metal	light brown	light brown	250V-10AX	4 gang	1 way	single




KD 3.100

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531143	PC	tempered glass	metal	light brown	light brown	/	1 gang	1 way	single




KD 4.450

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531147	PC	tempered glass	metal	light brown	light brown	/	2 gang	1 way	single




KD 3.900

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531144	PC	tempered glass	metal	light brown	light brown	/	1 gang	1 way	single




KD 1.800

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531148	PC	tempered glass	metal	light brown	light brown	/	1 gang	1 way	single




KD 3.350

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531145	PC	tempered glass	metal	light brown	light brown	/	1 gang	1 way	single




KD 6.400

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531149	PC	tempered glass	metal	light brown	light brown	250V-600W	1 gang	1 way	single




KD 4.300

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531150	PC	tempered glass	metal	light brown	light brown	250V~25A	1 gang	1 way	double




KD 7.800

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531295	PC	tempered glass	metal	light brown	light brown	250V~13A	2 gang	1 way	double




KD 4.900

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531151	PC	tempered glass	metal	light brown	light brown	250V~45A	1 gang	1 way	double




KD 5.550

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531153	PC	tempered glass	metal	light brown	light brown	250V~300W	1 gang	1 way	single




KD 3.900

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531152	PC	tempered glass	metal	light brown	light brown	250V~13A	1 gang	1 way	double




KD 7.250

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531155	PC	tempered glass	metal	light brown	light brown	250V~5W	1 gang	1 way	single




KD 9.000

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531228	PC	tempered glass	metal	light brown	light brown	Input: 100-240V, 0.7A Output: 5VDC, 3A 9VDC, 2A 12VDC, 1.5A	2 gang	1 way	single




KD 5.950

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531328	PC	tempered glass	metal	light brown	light brown	220V-100W	1 gang	1 way	single




KD 3.800

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531157	PC	tempered glass	metal	light brown	light brown	250V-10AX	2 gang	1 way	single




KD 2.700

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531737	PC	tempered glass	metal	champagne	champagne	250V-10AX	2 gang	2 way	single




KD 2.350

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531327	PC	tempered glass	metal	light brown	light brown	250V-10AX	1 gang	1 way	single




KD 3.450

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531738	PC	tempered glass	metal	champagne	champagne	250V-10AX	3 gang	2 way	single




KD 4.650

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531714	PC	tempered glass	metal	champagne	champagne	250V~10AX	4 gang	2 way	single




KD 1.500

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531186	PC	stainless steel	metal	light brown	grey	250V~10AX	2 gang	1 way	single




KD 1.050

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531184	PC	stainless steel	metal	light brown	grey	250V~10AX	1 gang	1 way	single



KD 1.800

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531187	PC	stainless steel	metal	light brown	grey	250V~10AX	2 gang	2 way	single




KD 1.250

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531185	PC	stainless steel	metal	light brown	grey	250V~10AX	1 gang	2 way	single




KD 1.950

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531188	PC	stainless steel	metal	light brown	grey	250V~10AX	3 gang	1 way	single




KD 2.500

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531284	PC	stainless steel	metal	light brown	grey	250V-10AX	4 gang	1 way	single




KD 1.800

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531191	PC	stainless steel	metal	light brown	grey	/	1 gang	1 way	single




KD 1.600

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531189	PC	stainless steel	metal	light brown	grey	/	1 gang	1 way	single




KD 2.700

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531193	PC	stainless steel	metal	light brown	grey	/	2 gang	1 way	single




KD 2.150

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531190	PC	stainless steel	metal	light brown	grey	/	1 gang	1 way	single




KD 0.650

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531194	PC	stainless steel	metal	light brown	grey	/	1 gang	1 way	single




KD 5.500

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531195	PC	stainless steel	metal	light brown	grey	250V-600W	1 gang	1 way	single




KD 2.050

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531198	PC	stainless steel	metal	light brown	grey	250V-13A	1 gang	1 way	double




KD 2.350

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531196	PC	stainless steel	metal	light brown	grey	250V-25A	1 gang	1 way	double



KD 3.900

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531292	PC	stainless steel	metal	light brown	grey	250V-13A	2 gang	1 way	double




KD 3.000

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531197	PC	stainless steel	metal	light brown	grey	250V-45A	1 gang	1 way	double




KD 5.400

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531199	PC	stainless steel	metal	light brown	grey	250V-300W	1 gang	1 way	single




KD 7.350

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531201	PC	stainless steel	metal	light brown	grey	250V~5W	1 gang	1 way	single




KD 0.950

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531321	PC	stainless steel	metal	light brown	grey	250V~10AX	1 gang	1 way	single




KD 8.900

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531225	PC	stainless steel	metal	light brown	grey	Input: 100-240V, 0.7A Output: 5VDC, 3A 9VDC, 2A 12VDC, 1.5A	2 gang	1 way	single




KD 5.300

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531322	PC	stainless steel	metal	light brown	grey	220V~100W	1 gang	1 way	single




KD 2.450

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531203	PC	stainless steel	metal	light brown	grey	250V~10AX	2 gang	1 way	single




KD 2.700

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531728	PC	stainless steel	metal	light brown	grey	250V~10AX	2 gang	1 way	single



KD 3.450

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531729	PC	stainless steel	metal	light brown	grey	250V~10AX	1 gang	1 way	single



KD 3.350

Color	Item Code	Module Material	Frame Material	Contacts Material	Module Color	Frame Color	Current Capacity	Number of Gangs	Number of Ways	Poles
	531730	PC	stainless steel	metal	light brown	grey	250V~10AX	1 gang	1 way	single