

Simple & Flexible Solution

LED FLEXIBLE LINEAR LIGHT

| PRODUCT INFORMATION

- Excellently anti-dust LED strips with professional design to guarantee lighting performance.
- It not only ensure high quality of lighting color consistency but also protect products against from harsh environments.
- ILLUS LED FLEXIBLE LINEAR Light gives the customer the flexibility to choose between 12 models based on their specific need with lumen package from 320 lm to 940 lm.

BENEFITS

- Vivid light color.
- Less maintenance cost and less concerns.

FEATURES

- High CRI>95.
- Operating voltage DC 24V.



AREAS OF APPLICATION





Hospitality

Shopping Center





Commercial

Educational Center

I TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP20	
Body Color	Yellow	
Body Material	PCB+Silicon	
CRI	95	
Lumen	from 320 to 940lm/M+/-10%	
Voltage	DC 24V	
Frequency	50/60Hz	
Cutting Unit	500mm	
Beam Angle	140°	
Dimming	No	
Directional or Non Directional	Non Directional	
Fixed or Adjustable	Adjustable	
Life Span	54000hrs	

SPECIFICATIONS

Code No.	Model No.	Power	Lumen	Efficacy	CCT
614008	ILS3LVST927WW01	3W	320lm	107lm/W	2700K
614009	ILS3LVST930WW01	3W	320lm	107lm/W	3000K
614010	ILS3LVST940NW01	3W	350lm	117lm/W	4000K
614011	ILS3LVST950DL01	3W	350lm	117lm/W	6000K
614012	ILS6LVST927WW01	5.5W	560lm	102lm/W	2700K
614013	ILS6LVST930WW01	5.5W	580lm	105lm/W	3000K
614014	ILS6LVST940NW01	5.5W	620lm	113lm/W	4000K
614015	ILS6LVST950DL01	5.5W	660lm	120lm/W	6000K
614016	ILS08LVST827WW01	7.5W	830lm	111lm/W	2700K
614017	ILS08LVST830WW01	7.5W	850lm	113lm/W	3000K
614018	ILS08LVST840NW01	7.5W	890lm	119lm/W	4000K
614019	ILS08LVST860DL01	7.5W	940lm	125lm/W	6000K


DIMENSIONS




ACCESSORIES
LED FLEXIBLE LINEAR LIGHT CONNECTOR
AVAILABLE AS AN ACCESSORY

Code No.	Model No.	Body Color	Body Material
614032	ILSLVSTFCT01	Transprent	Plastic
614033	ILSLVSTSC01	Transprent	Plastic
614034	ILSLVSTDC01	Transprent	Plastic


ACCESSORIES DIMENSIONS





614034

APPLICATION PICTURE



LED FLEXIBLE LINEAR LIGHT

BEYOND LIGHT..
TO THE LAST DETAILS!

