

■≢ PRO

Simple & Flexible Solution

LED FLEXIBLE LINEAR LIGHT

| PRODUCT INFORMATION

- Excellently anti-dust LED strips with professional design to guarantee lighting performance.
- It not only ensure high quality of lighting color consistency but also protect products against from harsh environments.
- ILLUS LED FLEXIBLE LINEAR Light gives the customer the flexibility to choose between 6 CCT based on their specific need with lumen package from 560 lm to 700 lm.

BENEFITS

- Vivid light color.
- Less maintenance cost and less concerns.

FEATURES

- High CRI>92.
- Operating voltage DC24V.



AREAS OF APPLICATION





Hospitality

Shopping Center





Commercial

Educational Center


I TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP67 for strip, Silicon material
Power	9W/M
Lumen	from 560-700lm/M+/-10%
LED Quantity	126pcs/meter
Input	DC24V
Maximum Length	5M/Reel
Cutting Unit	50mm
Size	10x10mm
Packaging	Male & female DC connector, 5m/reel into a anti-static bag, 20 bags into a master carton

SPECIFICATIONS

Code No.	Model No.	Lumen	CRI	CCT
611910	ILS09LVNF922WW03	560lm	92	2200K
611911	ILS09LVNF927WW03	640lm	92	2700K
611912	ILS09LVNF930WW03	660lm	92	3000K
611913	ILS09LVNF935WW03	670lm	92	3500K
611914	ILS09LVNF940NW03	690lm	92	4000K
611915	ILS09LVNF950DL03	700lm	92	5000K

DIMENSIONS





611910 - 611911 - 611912- 611913 - 611914 - 611915


ACCESSORIES LED FLEXIBLE LINEAR LIGHT CONNECTOR AVAILABLE AS AN ACCESSORY

Code No.	Model No.	IP	Power	Input	Output	Frequency	Dimensions
611961	ILSLVNFALMFCH07						10.8x30x10.8mm
611954	ILSLVNFALMFCH03						11.7x1000x12.2mm
611969	ILSLVNFALMFCH15						10.8x308x11.1mm
611970	ILSLVNFALMFCH16						10.8x596x11.1mm
611971	ILSLVNFALMFCH17						10.8x886x11.1mm
611981	ILSLVNF2HFC01						L=300mm
611948	ILS75W24VCG01	20	75W	AC220-240V	DC24V	50/60Hz	78x110x36mm
611949	ILS100W24VCG01	20	100W	AC220-240V	DC24V	50/60Hz	98x130x41mm
611950	ILS150W24VCG01	20	150W	AC220-240V	DC24V	50/60Hz	98x160x50mm

ACCESSORIES DIMENSIONS










611961 611954 611969 - 611970 - 611971











611981 611948





611949 611950

APPLICATION PICTURE



LED FLEXIBLE LINEAR LIGHT

BEYOND LIGHT..
TO THE LAST DETAILS!

