



LED PRO

Simple & Flexible Solution

LED FLEXIBLE LINEAR LIGHT

PRODUCT INFORMATION

- Excellently waterproof and anti-dust LED strips with professional design to guarantee lighting performance.
- It not only ensure high quality of lighting color consistency but also protect products outdoor against from harsh environments outdoors.
- ILLUS LED FLEXIBLE LINEAR Light gives the customer the flexibility to choose between 3 CCT tunable based on their specific need with lumen package 210 lm.

BENEFITS

- Water proof and vivid light color.
- Less maintenance cost and less concerns on water invasion.

FEATURES

- High CRI>92.
- Operating voltage DC226V.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center


TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP65, PVC
Power	8W/M
Lumen	210lm/M+/-10%
LED Quantity	72pcs/meter
PCB	Single PCB whole thickness 0.15mm, white color, 8mm, copper thickness 25um
Chip Size	2.8x3.5x0.8mm
L70	>20000H
Input	DC226V
Copper Wire	0.18mm x 28pcs
Maximum Length	40 meters
Cutting Unit	1 meter cuttable
Size	26mmx16mm
Other Features	w/o CCT controller, sold separately

SPECIFICATIONS

Code No.	Model No.	Lumen	CRI	CCT
611840	ILS08HVNF92250TN01	210lm@2700K	92	1800K/4500k

DIMENSIONS




611840

ACCESSORIES


LED FLEXIBLE LINEAR LIGHT CONNECTOR
AVAILABLE AS AN ACCESSORY

Code No.	Model No.	IP	Power	Input	Output	Frequency	Dimensions
611951	ILSHVNFALMFCH02						1000x18.79x20mm
611936	ILSHVNF2H3PC02						L=200mm
611977	ILSHVNF2H3PC01						L=300mm
611940	ILSHVRFCTCD01	65	361W	DC226V	DC226V	50/60Hz	35x88.5x33mm
611929	ILS250HVFLLCG02	65	248W	AC220-240V	DC226V	50/60Hz	42x146x33mm
611930	ILS400HVFLLCG02	65	361W	AC220-240V	DC226V	50/60Hz	42x146x33mm

ACCESSORIES DIMENSIONS




611951 - Aluminum Profile



611936 - Jumper




611940 - CCT controller



611977 - Jumper



611929 - 611930 - Flicker-free driver



This image is for display purpose only, the image may differ from the actual product,

**LED
FLEXIBLE
LINEAR LIGHT**

**BEYOND LIGHT..
TO THE LAST DETAILS!**

