



Shining in a linear way

LED ADJUSTABLE TRACK LUMINAIRE SERIES

PRODUCT INFORMATION

- It offers flexible lumen output for different indoor applications, such as office, retail, and hospitality.
- Easy to assemble and install for faster retrofits and refurbishments.
- ILLUS LED ADJUSTABLE TRACK Luminaire gives the customer the flexibility to choose between 6 models based on their specific need with lumen package from 1050 lm to 2200 lm.

BENEFITS

- Flexible lumen output by means of multiple modules design.
- High color rendering index helps better visual comfort in office and retail applications.
- Adjustable interface available to easily control the lights.

FEATURES

- High CRI>95.
- Efficacy up to 96 lm/w.
- Long life span 30,000 hrs.
- Operating voltage AC220 – 240V.
- Non – dimmable.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Commercial



Shopping Center



Educational center




TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP20
Voltage	AC220-240V
Frequency	50/60Hz
Lifespan	30000Hrs
Dimming	Non-Dimmable
CRI	95
Beam Angle	30°


SPECIFICATIONS

Code No.	Item Model No.	Body Color	Body Material	Rated Power	CCT	Lumen	Efficacy
614389	ILS12AGTRKL930WW01	Black	Aluminum	12W	3000K	1050lm	87.50lm/w
614390	ILS12AGTRKL940NW01	Black	Aluminum	12W	4000K	1100lm	91.67lm/w
614391	ILS19AGTRKL930WW01	Black	Aluminum	19W	3000K	1650lm	86.84lm/w
614392	ILS19AGTRKL940NW01	Black	Aluminum	19W	4000K	1720lm	90.53lm/w
614393	ILS23AGTRKL930WW01	Black	Aluminum	23W	3000K	2100lm	91.30lm/w
614394	ILS23AGTRKL940NW01	Black	Aluminum	23W	4000K	2200lm	95.65lm/w


DIMENSIONS



I DIMENSIONS



614391 - 614392



614393 - 614394

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED ADJUSTABLE TRACK LUMINAIRE SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**



Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.

02122021M1