



LED PRO

When lighting really matters

LED TRACK-MOUNTED LUMINAIRE SERIES

PRODUCT INFORMATION

- Suitable for a series of lighting applications in retail and hospitality.
- Support retailers to let their products stand out or highlight certain objects.
- ILLUS LED TRACK-MOUNTED LUMINAIRE gives the customer the flexibility to choose between 4 models based on their specific need with lumen package from 3100 lm to 3300 lm.

BENEFITS

- Reduced operating costs and longer lifetime.
- Unobtrusive design in white or black finish.
- Clean, simple finish to many interior designs.

FEATURES

- High CRI>95.
- Efficacy up to 83 lm/w.
- Long life span 30,000 hrs.
- Operating voltage AC220 – 240V.
- Non – dimmable.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Hospitality



Public indoor



Shopping Center



Commercial



Workplace



Educational Center




TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP20
CRI	95
Lumen	from 3100 to 3300lm/M+/-10%
Voltage	AC220-240V
Frequency	50/60Hz
Beam Angle	24°
Body Material	Aluminum+Plastic
Mounting Type	Track Mounted
Ambient Temperature	-20°C~40°C
Dimming	Non-Dimmable
Lamp Type	Direct
Fixed or Adjustable	Adjustable
Life Span	30000h

SPECIFICATIONS

Code No.	Model No.	Power	Lumen	Efficacy	CCT	Body Color
613207	ILS40ATML930WW01	40W	3100lm	77.50lm/W	3000K	matt white+black ring
613208	ILS40ATML940NW01	40W	3300lm	82.50lm/W	4000K	matt white+black ring
613209	ILS40ATML930WW02	40W	3100lm	77.50lm/W	3000K	matt black
613210	ILS40ATML940NW02	40W	3300lm	82.50lm/W	4000K	matt black

DIMENSIONS



613207 - 613208 - 613209 - 613210

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED TRACK-MOUNTED LUMINAIRE SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**



Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.